

ITJUST WORKS BETTER!

G96 PRODUCTS INC.

85-5th AVE., BLDG. #6 • PATERSON, NJ 07524

Tel: 973.684.4050 • Fax: 973.684.3848

E-mail: info@g96.com • Website: www.g96.com



G96 "Triple Action" Gun Treatment ® is the finest most complete firearms product made. It Cleans, Lubricates, and Protects your gun in one operation. No solvent or preservation necessary. Safe for use on polymers.

Retail Stock Numbers

G96 1055 - 4.5 oz. aerosol can G96 1055P - 12 oz. aerosol can

*Bilingual packaging available for Canada. Please specify when ordering



▶ Cleans ▶ Lubricates ▶ Protects

This is the single and best gun care maintenance product ever designed to solve a gun owner's cleaning, lubricating and corrosion protection problems. A unique formulation of active lubricants will not freeze, oxidize or evaporate. Designed with a pleasant odor, this gun treatment is assured perfect firing from 50°F below zero to 350°F.

Cleans: Contains solvents which will completely remove all traces of rust, gun powder, leading, and corrosion in seconds.

Lubricates: Contains lubricants which will not freeze, oxidize, or evaporate (the result of missile research). Leaves no gummy residue. Keeps firing pin and all moving parts working as low as -50°F below zero; ensures perfect firing every time.

Protects: Leaves invisible magnetic film over all metal parts which protects your gun against rust under all weather conditions, even salt water spray. Protects frequently handled guns against "finger-print" damage.





Crud Buster Polymer Safe Firearm Cleaner

The high pressure cleaning solvent contained in this product effectively cleans all moving metal parts, triggers, ejectors, and extractors on firearms. The extension tube which inserts into the valve head produces a high pressure spray that allows the solvent to penetrate and remove soluble as well as in-soluble particles from the firearm. It is excellent for use on rifles, shotguns, and pistols.

SAFE FOR USE ON POLYMER FIREARMS. FOR FIREARMS USE ONLY.

G96 1202 – 16 oz. aerosol spray can *Bilingual packaging is also available for Canada. Please specify when ordering.



Nitro Solvent

Especially designed for the serious skeet and trap shooter. It neutralizes the corrosive acid residue buildup from the plastic shot shells. Heavy duty solvents quickly remove leading, powder residue and metal fouling for a sparkling clean bore. Makes firearms more effective by removing dirty particles. May be harmful around painted metal, plastic, synthetic or varnished stocks. It is recommended that G96 Gun Treatment and any G96 Gun Oil product after using Nitro Solvent.

G96 1105 – 6 oz. aerosol can *Bilingual packaging is also available for Canada. Please specify when ordering.



FIREARM CLEANER/DEGREASER Arme à feu nettoyand dégraissant

Firearm Cleaner/ Degreaser

G96 Firearm Cleaner/Degreaser is a water-based, biodegradable, cleaning solution for use on metal and other hard surfaces. It is used to remove hydro-carbon and other organic residue as well as inorganic material from surfaces, and is non-corrosive to a wide array of metals, plastics, rubber and other materials. Use prior to blueing. May be used to clean polymer frames, AR/AK furniture, sights, anodized aluminum receivers, handguards, grips, and other exterior parts found on a firearm.

G96 1088 - 4 fl. oz.

*Bilingual packaging is also available for Canada. Please specify when ordering.



Gun Oil

G96 Gun Oil is the same formula as G96 Gun Treatment, except it is a liquid and not an aerosol spray.

G96 1054 — 4 fl. oz. w/ twist cap G96 1054G — 1 gallon container Also available in 55 gallon drums. Please contact us for special pricing. *Bilingual packaging is also available for Canada. Please specify when ordering.





GUN BLUE

Highly recommended over all other brands by gun enthusiasts and gunsmiths. Mirror-like finish is guaranteed to blend perfectly into the original blueing. Leaves no streaks or spots; will not rub off or discolor

This product is for those who prefer a liquid touch-up blueing. Blues instantly producing a rich blueing which will not rub off or discolor.

Instant action gun blue pen-type dispenser makes it easy to touch up small marks and scratches with a minimum of preparation. Produces a rich, dark blue which will not rub off or discolor. Ideal for use on finger guards, barrel tips, etc. For best results, clean with G96 Gun Degreaser and finish with G96 Gun Treatment or any G96 Gun Oil.

Gun Blue Creme G96 1064 - 3 oz. bottle Liquid Gun Blue G96 1069 - 2 oz. bottle Gun Blue Stick G96 1078 - 10 cc pen

*Bilingual packaging is also available for Canada. Please specify when ordering.



Images shown are not to scale



E-mail: info@g96.com Website: www.g96.com 85-5th AVE. BLDG #6 • PATERSON, NJ 07524 Tel: 973.684.4050 • Fax: 973.684.3848



RIFLE BORE CLEANER

RBC-372G "BIO-BASED" **CLEANING COMPOUND**





18 mL (4 fl. oz.

G96 Rifle Bore Cleaner removes leading, powder residue, and copper fouling from the bore of the firearm. Helps prevent rust, oxidation, staining, and galvanic corrosion in firearms. Cleans heavy copper. Keep the container sealed and close with cap when not in use.

REMOVES LEADING, POWDER RESIDUE, and COPPER FOULING.

RETAIL STOCK NUMBER

G96 2108 - 4 fl. oz. metal can **G96 2108-CA** - 118 mL metal can

National Stock Number

6850-01-696-6959 6850-01-696-6963 6850-01-696-6969 6850-01-696-6970 6850-01-696-6976 6850-01-696-6977

G96 Stock Number

G96 2109 - 2 fl oz (59 mL) G96 2110 - 8 fl oz (236 mL) G96 2111 - 32 fl oz (946 mL) G96 2112 - 1 US Gallon (3.7 L) G96 2113 - 5 US Gallon (18.9 L) G96 2114 - 55 US Gallon (208 L)

Images shown are not to scale



G96 Synthetic Bio-CLP Gun Oil. which is the first USDA Certified **BioPreferred product to** achieve qualification as a DoD CLP.

SYNTHETIC Bio-CLP Gun Q

IL-PRF-63460G BIO-BASED For the 21st Century

Military Approved

G96 Synthetic Bio-CLP Gun Oil has been approved for use by the U.S. Army for 21st century cleaning, lubricating, and preservation of both small and large caliber weapons and weapons systems (Military Spec MIL-PRF-63460G BIO-BASED & NATO S-758). This product is formulated for maximum gun and environmental protection. It is inherently biodegradable, contains no solvents or VOCs, and is a minimum 33% biobased.

Cleaner: Significantly improves clean up after firing.

Lubricant: Original tolerances will be maintained longer under extreme conditions. *Preservative:* Unique combination of additives protects and bonds to metal, yet it is safer for the environment than most other additives.

Safe for use on polymers.

National Sto	ck Number	G96 Stock	Number
งสมเดทสา 5เด	ck number	690 510CK	Number

9150-01-663-4635	G96 2070 – 0.5 fl. oz. cylindrical plastic bottle in natural
9150-01-663-3879	G96 2053M – 4 fl. oz. flat oval plastic bottle in natural
9150-01-663-4643	G96 2071 – 1 pint cylindrical plastic bottle w/sprayer in whi
9150-01-663-4623	G96 2072 – 1 liter cylindrical plastic bottle w/sprayer in whi

G96 2053G – 1 gallon plastic bottle in natural

Retail Stock Number

G96 2053 - 4 fl. oz. bottle

G96 2070 - 0.5 fl. oz. cylindrical plastic bottle in natural

G96 2070-BP - Bulk Package 24 x 0.5 fl. oz. in case (no blister cards) - NOT FOR RETAIL SALE

Also available in 55 gallon drums. Please contact us for special pricing. *Bilingual packaging is also available for Canada. Please specify when ordering.

FIRING TESTS PASSED **Salt Water Immersion Dynamic Dust Cold Temperature** LAB TESTS PASSED Flash Point, min. 65°C (149°F) Pour Point, min. -59°C (-74°F) Viscosity, Kinematic (with solvent) at +40°C (104°F), min, (Value 14 cst) Viscosity, Kinematic (w/solvent evaporated) at -40°C (-40°F), max. (Value 5,000 cst) Wear Preventive Characteristics, avg., Scar Diameter, max. 0.8mm Falex Load Carrying Capacity, Jaw Load, min. 500 lbs. Firing Residue Removal **Metal Corrosion Protection**

- **Humidity Resistance (after 900 hours of exposure)**
- Salt-Spray Resistance (after 96 hours of exposure)
- **Interference with Chemical Agent Detector Paper**
- **Toxicity**
- Minimum 33% Biobased

SYNTHETIC CLP Gun Oil

MIL-PRF-63460F TYPE "A" NON BIO-BASED

For the 21st Century

Military Approved

G96 Synthetic CLP Gun Oil has been approved for use by the U.S. Army for 21st century cleaning, lubricating, and preservation of both small and large caliber weapons and weapons systems (Military Spec MIL-PRF-63460F TYPE "A" NON BIO-BASED & NATO S-758).

This product is formulated for maximum gun and environmental protection. It is 85% biodegradable, contains no solvents or VOCs.

Cleaner: Significantly improves clean up after firing.

Lubricant: Original tolerances will be maintained longer under extreme conditions.

Preservative: Unique combination of additives protects and bonds to metal, yet it is safer for the environment than most other additives.

Safe for use on polymers.

National Stock Number	G96 Stock Number	
9150-01-102-1473	G96 1070 – 0.5 fl. oz. cylindrical plastic bottle in natural	
9150-01-079-6124	G96 1053M – 4 fl. oz. flat oval plastic bottle in natural	
9150-01-054-6453	G96 1071 – 1 pint cylindrical plastic bottle w/sprayer in white	
9150-01-327-9631	G96 1072 – 1 liter cylindrical plastic bottle w/sprayer in white	
9150-01-053-6688	G96 1053G – 1 gallon plastic bottle in natural	

Retail Stock Number

G96 1053 - 4 fl. oz. bottle

G96 1070 - 0.5 fl. oz. cylindrical plastic bottle in natural

G96 1070-BP - Bulk Package 24 x 0.5 fl. oz. in case (no blister cards) - **NOT FOR INDIVIDUAL SALE** Also available in 55 gallon drums. Please contact us for special pricing.

*Biliarual analysis in the garden drame. I loade contact de lei spec

[^] Bilingual packaging	is also available	e for Canada. Please	specify when ordering.

	FIRING TESTS PASSED
1	Salt Water Immersion
1	Dynamic Dust
/	Cold Temperature
	LAB TESTS PASSED
/	Flash Point, min. 65°C (149°F)
V	Pour Point, min. –59°C (–74°F)
V	Viscosity, Kinematic (with solvent) at +40°C (104°F), min, (Value 14 cst)
1	Viscosity, Kinematic (w/solvent evaporated) at -40°C (-40°F), max. (Value 5,000 cst)
V	Wear Preventive Characteristics, avg., Scar Diameter, max. 0.8mm
/	Falex Load Carrying Capacity, Jaw Load, min. 500 lbs.
/	Firing Residue Removal
1	Metal Corrosion Protection
/	Humidity Resistance (after 900 hours of exposure)
1	Salt-Spray Resistance (after 96 hours of exposure)
1	Corrosion Protection from Propellant Reaction Products
1	Interference with Chemical Agent Detector Paper
1	Toxicity





Nano-Synthetic Rapid-Fire Gun Grease



G96 Rapid-Fire Gun Grease is a revolutionary Military Grade formula designed to meet the most demanding needs for small and large caliber weapons. When gently wiped down a thin film of gun grease stays where it is placed. Use on all sliding surfaces, railers, trigger mechanisms, cam pins, choke tubes, and any other areas that require a lubricant.

Retail Stock Numbers

G96 1043 - 13cc (13 mL) syringe

Read Cautions on B Lire les mises en gard panneau arrière.

MILITARY GRADE

- Extreme lubrication and protection as a result of nano synthetic technology
- ✓ Superior performance in all climates under all weather conditions on all firearms
- Freezing point -62°C (-80°F)
- ✓ Dropping point +260°C (+500°F)
- ✓ No "bleeding out" of oil
- Stays where it is placed
- Reduces friction and wear and extends the life of all firearms
- Protection against corrosion
- Reduces carbon residue, galvanic corrosion, and metallic & powder residues
- ✓ 85% Biodegradable
- ✓ Safe for use on polymer weapons
- ✓ For firearms use only
- ✓ 13cc syrine 30% more than competitors

ITJUST WORKS BETTER!

VISIT www.G96.com or CALL 1-973-684-4050 FOR MORE INFORMATION